

MEG



photo: chrome, spiral cable



Functions and features:

Functionality

The MEG heating element offers 5 temperature settings ranging from 30°C to 60°C. An electronic temperature sensor guarantees precise temperature control. The device displays the currently set temperature level and indicates the status of the heating cycle.

Safety

The MEG heating element is equipped with frost protection (ANTIFREEZE). It has double protection against overheating of the radiator. The MEG also displays warning indicators in case of malfunction. It has an active safety feature in case of operation in a dry radiator.

Colour

Available colours: white, silver, chrome and black. MEG can also be offered in any RAL colour and Terma special colours (including brass and gold) subject to a minimum order of 100 pcs per colour.

Intelligent Building Systems

In the event of a power failure the MEG remembers it's previous settings therefore making it suitable for connection to external timers and intelligent building systems.

Design

The MEG heating element is supplied with a straight cable and without a plug. It is available with a cable masking cover as an optional extra.

Specifications:

Power supply: 230 V / 50 Hz
 Device protection class: Class I
 Radiator connection: G 1/2"
 Ingress protection [IP]: IPx4

Table configurations:


Example of product code: **WE**MEG**04** **T**SMA**W**

Element power code Colour or finish code Cable type and plug code

Model code Packaging code

Code elements highlighted in blue

Model	Power [W]	Packaging	Colour	Cable Type
WE MEG MEG	01 120	F Foil sleeve	916 White	W Straight cable with plug
MGT MEG + T piece	02 200	T Tube	SMA Silver	M Straight cable without plug with masking cover
	03 300		CRO Chrome	U Spiral cable with plug
	04 400		905 Black	
	06 600			
	08 800			
	10 1000			
	12 1200			



L [mm]	315	275	300	335	365	475	565	660
Power [W]	120	200	300	400	600	800	1000	1200